

e Vidyalaya Asset Monitoring Report


School:	G	O	N	T.	G	I	R	L	S.
	H	I	G	H	S	C	H	O	O
U DISE Code:	2	1	0	2	0	8	0	2	0
Block:	J	H	A	R	S	U	G	U	D
District:	J	H	A	R	S	U	G	U	D
Date of inspection:	D	D	M	M	Y	Y	Y	Y	
Address:	Nearest land mark :								
	Village/Suburban :				JHARSUGUDA NPL				
	Pin Code:								
Land line no.									
(STD code preceding with zero)									
(Ph. No.)									
HM's Name	S	A	N	G	I	T	A.	R	A
	B	E	H	E	R	A			
HM's contact no.	9	0	4	0	4	8	9	0	8
School mail ID:									

Consolidated Checklist

<u>Sr. no.</u>	<u>ITEM name</u>	<u>Page no.</u>	Pls. mark tick(✓) if verified or cross(X) if not verified
(A)	Computer hardware		
1	Desktop	2	✓
2	Stand by Desktop	3	✓
3	Share Computing Devices	4	✓
4	Monitor	5	✓
5	Keyboard & Mouse	7	✓
6	Webcam	7	✓
7	Headphone	7	✓
8	Headphone Sharer	7	✓
9	Interactive White Board	8	✓
10	Integrated Computer Projector	10	✓
11	Multi-function Printer	11	✓
12	Networking	13	✓
	Supporting documents of Computer Hardware (Worm reports, test print outs)		
(B)	Electrical equipment		
13	On Line UPS	12	✓
14	Initial meter reading in Electrical Meter	13	✓
15	Servo Stabilizer	14	✓
16	Silent Generator Set	15	
17	Earthing	16	✓
18	Lighting	16	✓
19	Fans	16	✓
20	Exhaust fans	16	✓
21	Switches and sockets	16	✓
22	Wiring	17	✓
	Supporting documents of Electrical equipment(lab testing certificates in the letter head of testing & certifying agency)		
(C)	Other Infrastructure		
23	Computer Table	17	✓
24	Fire Extinguisher	13	✓
25	Chair	18	✓
26	Painting	18	✓
27	Vinyl Flooring	18	✓
28	Lab Cleanliness Kit	18	✓
29	Curtains	18	✓
30	Wall Clock	18	✓
31	Notice Board	18	✓
32	Whiteboard	18	
33	Internet Connectivity	18	
34	Installation, Commissioning and Maintenance	18	✓
35	Non-removable sticker with details of Vendor's name, address, contact detail, service center/ help line number and warranty expiry date.	19	✓
36	Photographic testimonials of ICT lab		

Signature of ICT Coordinator

Signature of DLC Coordinator



1.DESKTOP CHECK LIST

Quantity		Pls. tick for correct Qty./Brand	Remark
1			
Brand	Acer Make	✓	
Sr. no.	Specifications as per RFP	Pls. tick if as per spec.	
1	X86 Architecture 3.2 Ghz or higher Processor with 4 dedicated cores	✓	
2	RAM 4GB or higher expandable to 16GB	✓	
3	500 GB HDD SATA 7200 RPM Drive	✓	
4	19-inch or Higher LED Monitor	✓	
5	Built-in audio	✓	
6	300 Watt Desktop Speaker	✓	1 Watt RMS Genius
7	DVD Writer	✓	
8	10/100/1000BaseT Ethernet	✓	
9	104 Key Keyboard	✓	
10	Optical Mouse	✓	
11	at least 2 Free Full Height PCI slots	✓	
12	OS: Microsoft Windows Multipoint Server 2011	✓	

Serial no.	U	X	V	8	5	3	I	0	1	9	D
	5	2	7	9	9	0	6				

Signature of ICT Coordinator

Signature of DLC Coordinator

3.SHARE COMPUTING DEVICE CHECKLIST

Quantity		Pls. tick for correct Qty./Brand	Remark
2		✓	
Brand	N-Computing	✓	
Sr. no.	Specifications as per RFP	Pls. tick if as per spec.	
1	Multibox device which allows 6 users to share a single host PC through a share computing PC-Sharing kit	✓	
2	Virtualization software	✓	
3	Access devices with speaker output	✓	
4	PS/2 Mouse	✓	
5	PS/2 Keyboard	✓	
6	SVGA Monitor output	✓	
7	RJ45 Connection Port	✓	
8	5 CAT6 cables (each of 5 meters length)	✓	
9	Power consumption of each access device should not exceed more than 1-2watts	✓	
10	The access device should be integrated with Host PC via CAT 6 cable with support up to 10mtr/32ft	✓	
11	Each user should have independent desktop environment	✓	
12	User experience on shared terminal should be substantially the same as on the host PC	✓	
13	Graphics/Multimedia	✓	
14	Logout	✓	
15	Responsiveness (Mouse, Keyboard, application start-up and execution)	✓	



Signature of ICT Coordinator



Signature of DLC Coordinator

4. MONITOR CHECKLIST

Quantity		Pls. tick for correct Qty.	Remark
12		✓	
Sr. no.	Specifications as per RFP	Pls. tick if as per spec.	
1	19-inch or higher LED Monitor	✓	
2	static contrast 1000:1	✓	
3	resolution of 1440 x 900	✓	
4	VGA connectivity	✓	
5	matt black finish	✓	
6	brightness 250 cd/m2	✓	
7	viewing angle 170 degrees/ 160 degrees (horizontal/vertical)	✓	
8	wall mounting port VDI	✓	
9	Windows Certification	✓	
10	EPEAT GOLD / TCO /Energy Star Certification	✓	



Signature of ICT Coordinator



Signature of DLC Coordinator

Serial no.	Pls. fill the serial no.s of all the 12 Monitors												
1	M	M	L	Y	G	S	S	0	1	4	3	4	5
	0	4	D	E	2	8	5	1	0				
2	M	M	L	Y	G	S	S	0	1	4	3	4	5
	0	1	C	F	C	8	5	1	0				
3	M	M	L	X	K	S	S	0	1	4	3	4	6
	0	7	1	4	0	4	2	0	4				
4	M	M	L	X	K	S	S	0	1	4	3	4	6
	0	1	9	5	F	4	2	0	4				
5	M	M	L	X	K	S	S	0	1	4	3	4	6
	0	1	D	8	8	4	2	0	4				
6	M	M	L	X	K	S	S	0	1	4	3	4	6
	0	1	9	2	2	4	2	0	4				
7	M	M	L	Y	G	S	S	0	1	4	3	4	5
	0	4	D	D	E	1	8	5	1	0			
8	M	M	L	Y	G	S	S	0	1	4	3	4	5
	0	4	D	E	D	8	5	1	0				
9	M	M	L	X	K	S	S	0	1	4	3	4	6
	0	1	7	9	B	4	2	0	4				
10	M	M	L	Y	G	S	S	0	1	4	3	4	5
	0	1	C	9	B	8	5	1	0				
11	M	M	L	X	K	S	S	0	1	4	3	4	6
	0	2	4	7	5	4	2	0	4				
12	M	M	L	X	K	S	S	0	1	4	3	4	6
	0	1	A	0	B	4	2	0	4				

Signature of ICT Coordinator

Signature of DLC Coordinator



5.KEYBOARD & MOUSE CHECK LIST

Quantity		Pls. tick for correct Qty.	Remark
10 each for Keyboard & Mouse		✓	
Sr. no.	Specifications as per RFP	Pls. tick if as per spec.	
1	104 Keys PS2 Keyboard	✓	
2	PS2 Optical mouse	✓	

6.WEB CAM CHECK LIST

Quantity		Pls. tick for correct Qty./Brand	Remark
1		✓	
Brand	Wipro	✓	
	Zebronic	✓	
Sr. no.	Specifications as per RFP	Pls. tick if as per spec.	
1	Min 5MP camera	✓	
2	Support for HD Video calling (1280 X 720 pixels)	✓	
3	Built-in mic with noise reduction	✓	

7.HEADPHONE

Quantity		Pls. tick for correct Qty.	Remark
40		✓	
Sr. no.	Specifications as per RFP	Pls. tick if as per spec.	
1	Headphone with mic	✓	

8.HEADPHONE SHARER


Quantity		Pls. tick for correct Qty.	Remark
10		✓	
Sr. no.	Specifications as per RFP	Pls. tick if as per spec.	
1	5-Way 3.5-mm Headphone Splitter	✓	


 Signature of ICT Coordinator


 Signature of DLO Coordinator

9.INTERACTIVE WHITE BOARD CHECK LIST

Quantity		Pls. tick for correct Qty./Brand	Remark
1		<input checked="" type="checkbox"/>	
Brand	SMART	<input checked="" type="checkbox"/>	
Sr. no.	Specifications as per RFP	Pls. tick if as per spec.	
1	Active Size: Minimum 77" diagonal	<input checked="" type="checkbox"/>	
2	Active Area: Minimum active area 156 cm W × 117cm H	<input checked="" type="checkbox"/>	
3	Resolution: Digitizing resolution is approximately 32767 × 32767	<input checked="" type="checkbox"/>	
4	Aspect Ratio: 4:3	<input checked="" type="checkbox"/>	
5	Board Surface: Durable Hard-coated steel surface, optimized for projection, maintenance free, compatible with dry-erase markers and easily cleaned with whiteboard cleaner or isopropyl alcohol (IPA)	<input checked="" type="checkbox"/>	
6	Operating System: Windows XP SP3, Windows Vista® SP2 or Windows 7 operating system and Linux	<input checked="" type="checkbox"/>	
7	Writing Tools: Both finger and pen touch without any special tools, supports multi touch and use of non-mechanical and battery free objects	<input checked="" type="checkbox"/>	
8	Technology: Touch technology. No interference from Electromagnetic sources/sunlight and other external influences	<input checked="" type="checkbox"/>	
9	Data Ports: 12 Mbit /s USB connection (full-speed USB 1.1 or USB 2.0).	<input checked="" type="checkbox"/>	
10	Storage: Saving of files in PC	<input checked="" type="checkbox"/>	
11	Software: Must include a complete version of the white boarding software application on a CD or DVD. Software must also be available online for download. Users must be able to access the software without having to register for an online community. Software must be available for update via a product updating service that can automatically scan for new updates and alert users to their availability.	<input checked="" type="checkbox"/>	


Signature of ICT Coordinator


Signature of DLC Coordinator



12	Must support Windows® / Linux® operating systems	✓									
13	Should have interactive features like palm touch, image gallery, image enlarge; snap shots, recording lectures, reveal option, focus to specific part of content, zoom etc.	✓									
14	Must supply additional software to collaborate external content and facilitate teachers to create new content and manage and deliver other content	✓									
15	Must supply an application for remote collaboration to work on the same content simultaneously and write directly into each other's documents	✓									
16	Minimum 100 to maximum 500 user can concurrently use the facility.	✓									
17	Accessories: Stylus/ Pens, USB Cable, Software CD, user manual etc. to be a part of standard supply	✓									
18	Warranty: 5 years warranty	✓									
Serial no.	S	B	4	8	0	-	C	2	-	0	6
	2	4	5	5							



Signature of ICT Coordinator




Signature of DLC Coordinator

10. INTEGRATED COMPUTER PROJECTOR CHECKLIST

Quantity		Pls. tick for correct Qty./Brand	Remark								
1		<input checked="" type="checkbox"/>									
Brand	K-YAN	<input checked="" type="checkbox"/>									
Sr. no.	Specifications as per RFP	Pls. tick if as per spec.									
1	Projection System: DLP Technology	<input checked="" type="checkbox"/>									
2	Brightness: 2500-ANSI Lumens (Short Throw)	<input checked="" type="checkbox"/>									
3	Resolution: SVGA (800x600)	<input checked="" type="checkbox"/>									
4	Contrast Ratio: 2500:1	<input checked="" type="checkbox"/>									
Computer System :											
5	X86 architecture	<input checked="" type="checkbox"/>									
6	3.2GHz or higher with 4 dedicated Cores	<input checked="" type="checkbox"/>									
7	Minimum 4MB L3 Cache	<input checked="" type="checkbox"/>									
8	Compatible chipset with HD graphics	<input checked="" type="checkbox"/>									
9	4GB DDR3 RAM expandable to 16 GB	<input checked="" type="checkbox"/>									
10	500 GB Serial SATA II 7200 RPM HDD	<input checked="" type="checkbox"/>									
11	Optical Drive DVD RW	<input checked="" type="checkbox"/>									
12	Wireless Keyboard	<input checked="" type="checkbox"/>									
13	optical Scroll Mouse	<input checked="" type="checkbox"/>									
14	OS: Linux	<input checked="" type="checkbox"/>									
15	Input: PS/2 Mouse & Keyboard	<input checked="" type="checkbox"/>									
16	RF -in for TV	<input checked="" type="checkbox"/>									
17	USB ports	<input checked="" type="checkbox"/>									
18	Microphone in	<input checked="" type="checkbox"/>									
19	Output : Internal 30 watts Audio Output	<input checked="" type="checkbox"/>									
20	LAN: 1x Gbps LAN	<input checked="" type="checkbox"/>									
21	Integrated analogue cable TV tuner	<input checked="" type="checkbox"/>									
Serial no.	1	3	L	G	C	Z	0	0	1	2	2
	0	5	3								

Signature of ICT Coordinator



Page-11

Signature of ICT Coordinator

12. On Line UPS

Quantity		Pls. tick for correct Qty./Brand	Remark
1		✓	
Brand	Delta	✓	
Sr. no.	Specifications as per RFP	Pls. tick if as per spec.	
1	ISO 9001 Certified	✓	not mentioned
2	Online UPS of 2KVA with 30 minutes power backup	✓	
3	Output Wave Form - Pure sine wave	✓	
4	Efficiency 90 % or better on rated full load	✓	
5	Input Power Factor > 0.90	✓	
6	Battery type : Sealed, Maintenance Free	✓	
7	Micro Controller Based Double Conversion Online UPS and Cabling.	✓	
8	DG Set compatibilities	✓	
9	frequency range 50+/- 6% hertz	✓	
10	operating temperature: 0 to 50 degrees Celsius	✓	
11	noise level: as per the government norms	✓	
12	output: pure sine wave output	✓	
Serial no.	8 2 S 1 3 C 0 3 5 4 5		
	W J		



Signature of ICT Coordinator



Signature of DLC Coordinator

13.NETWORKING CHECKLIST

Sr. no.	Specifications as per RFP	Pls. tick if as per spec.	Remark
1	16 Port Unmanagable GIGABIT switch	<input checked="" type="checkbox"/>	
2	CAT-6 cabling (in casing capping) for all the nodes Mutli function printers, Projection system	<input checked="" type="checkbox"/>	

14.FIRE EXTINGUISHER CHECKLIST

	Quantity	Pls. tick for correct Qty.	Remark
	1	<input checked="" type="checkbox"/>	
Sr. no.	Specifications as per RFP	Pls. tick if as per spec.	
1	Portable Carbon Dioxide Handheld fire extinguishers as per IS specification	<input checked="" type="checkbox"/>	
Please mention the expiry date: (In DD-MM-YYYY)			expiry date not mentioned.

15.Electrical Meter

Initial meter reading in Electrical Meter	Remark
00012.9	



Signature of ICT Coordinator



Signature of DLC Coordinator

16.Servo Stabilizer

Quantity		Pls. tick for correct Qty./Brand	Remark
1		<input checked="" type="checkbox"/>	
Brand	Protect	<input checked="" type="checkbox"/>	
Sr. no.	Specifications as per RFP	Pls. tick if as per spec.	
1	5KVA (1 Phase Servo Motor Operated Line Voltage Corrector)	<input checked="" type="checkbox"/>	
2	Input Range: : 50V-270V (Single Phase)	<input checked="" type="checkbox"/>	
3	Mounting: On Wheels	<input checked="" type="checkbox"/>	
4	Output range: 220V/230V/240V single phase (adjustable)	<input checked="" type="checkbox"/>	
5	earthing terminals	<input checked="" type="checkbox"/>	
6	overload cut-off	<input checked="" type="checkbox"/>	
7	output protection through MCB	<input checked="" type="checkbox"/>	
8	Frequency range: 50+/- 3% hertz.	<input checked="" type="checkbox"/>	
9	Operating temperature: 0 to 50 degrees Celsius	<input checked="" type="checkbox"/>	
Serial no.	0 8 0 2 1 4 0 1 3 0		



Signature of ICT Coordinator



Signature of DLC Coordinator

17.Silent Generator Set

Quantity		Pls. tick for correct Qty./Brand	Remark								
1			Not provided,								
Brand	Champ										
Sr. no.	Specifications as per RFP	Pls. tick if as per spec.	Not mentioned.								
1	ISO 9001 Certified										
2	Minimum 3 KVA Petrol/Diesel based silent generator set with Safe	✓									
3	Cabling and Installation	✓									
Initial meter reading of the Silent Generator Set:		0000047									
Serial no.	5	1	3	1	1	0	3	6	3	1	1



Signature of ICT Coordinator



Signature of DLC Coordinator

Electrical and Furniture requirements for a room size of approximately 400 Square Feet

Sr no	Item name	Minimum Specifications	Pls. tick if as per spec.	Quantity	Pls. tick for correct Qty.	Remark
1	Earthing (as per IS specifications)	Copper plate earthing stations making earthing with copper earth plate		1	<input checked="" type="checkbox"/>	
		600 mm x 600 mm x 3 mm thick including funnel, charcoal/coke, salt, all earth work.				
2	Lighting (ISI mark)	40W Tube Light		4	<input checked="" type="checkbox"/>	
		Electronic Choke (ISI mark)		<input checked="" type="checkbox"/>		
3	Fans (ISI mark)	48" blade with regulator,		2	<input checked="" type="checkbox"/>	
		3 Blade		<input checked="" type="checkbox"/>		
		Indicative Brands: Please tick(v) In case any other brand please mention in remark column				
		Philips <input checked="" type="checkbox"/> Wipro Usha Crompton Greaves Havells Khaitan <input checked="" type="checkbox"/> Bajaj				
4	Exhaust fans (ISI mark)	300mm sweep		1	<input checked="" type="checkbox"/>	
		45 Watts	<input checked="" type="checkbox"/>			
		Speed 1330 RPM	<input checked="" type="checkbox"/>			
5	Switches and sockets (ISI Mark)	5 A- 240 V switches		15	<input checked="" type="checkbox"/>	
		2 in 1 5A and 15A Sockets		15	<input checked="" type="checkbox"/>	
		15 A – 240 V socket with shutter		2	<input checked="" type="checkbox"/>	
		Indicative Brands: Please tick(v) In case any other brand please mention in remark column				
		Anchor <input checked="" type="checkbox"/> Havells crabtree Wipro Phillips Legrand				
		Switches and sockets is to be provided for all electronics/IT equipments including printer and Projection System to be placed at lab technician table.	<input checked="" type="checkbox"/>			

Signature of ICT Coordinator

Signature of ICT Coordinator



Electrical and Furniture requirements for a room size of approximately 400 Square Feet

Sr no.	Item name	Minimum Specifications	Pls. tick if as per spec.	Quantity	Pls. tick for correct Qty.	Remark
6	Wiring (ISI Mark)	PVC conduits including MS/GI boxes	✓	Full Lab	✓	
		All wires should be covered, insulated and properly clamped.	✓			
		Wiring for 5 and 15A power outlets with 4 mm ² PVC insulated stranded copper conductor wires	✓			
		Earthing of 3rd pin with PVC insulated green color 2.5 mm ² copper wire	✓			
7	Computer Table	Make: Tajpuria	✓			not mentioned
		Dimensions: Width 1200mm x Depth 609mm x Height 750mm	✓			
		18mm pre laminated particle board conforming IS: 12823.	✓			
		Pre-treated & powder coated steel frame.	✓			
		Good quality PVC edge bending to be provided on pre laminated board.	✓			
		No Sharp corners, smooth edges are essential.	✓			
		Legs frame made of 1.5 inch square pipe, 16 gauges	✓			
		Table rests on good quality glide screws.	✓			
		Full length footrest is to be provided.	✓			
		One 65mm diameter hole for drawing cables is to be provided, this hole has to be covered with steel cover	✓			
		Good quality telescopic slider along with full width keyboard with 30cm projected depth panel, keyboard free space is 10 cm.	✓			
		Table must have a modesty panel of 200mm height to be provided.	✓			
		End caps to be provided.	✓			
		BIFMA Certified				not specified


[Signature]

Signature of ICT Coordinator



Signature of ICT Coordinator

Electrical and Furniture requirements for a room size of approximately 400 Square Feet

Sr no.	Item name	Minimum Specifications	Pls. tick if as per spec.	Quantity	Pls. tick for correct Qty.	Remark
8	Chair	MAKE: UMA/MODERNA(Pls. tick)	✓	41	✓	Swagath
		Armless Moulded Chairs	✓			
		Cream colour	✓			
		IS Standard Compliant				
9	Painting	The surface of Wall and Ceiling to be painted, shall be prepared to the satisfaction of OKCL / OMSM	✓			
		Shall be applied with 2 coats of primer and then with 2 coats of distemper paint of standard make as approved by OKCL / OMSM.	✓			
10	Vinyl Flooring	The Vinyl flooring shall be of minimum 1 mm thickness.	✓			
11	Lab Cleanliness Kit	Dusting cloth		1 Set		cloth covers not provided
		hand held vacuum cleaner	✓			
		Dust cloth covers for all the IT equipment				
		one Foot mat	✓			
12	Curtains	To maintain proper darkness in the Lab / Classroom during Projection	✓	Full lab		only two window
13	Wall Clock	ISI Mark, Wall Clock	✓	1		ISI mark not mentioned
		Dry cells/Batteries	✓			
14	Notice Board	5feet x 3feet,	✓	1	✓	
		P/F 15 thk Pinup board with fabric wrapped all around	✓			
15	Whiteboard	4 ftx3 ft		1		not provided
		minimum 18mm thickness				
16	Internet Connectivity	ISP(Internet Service Provider)		Remark		
	Yes/No (Please tick)			not provided		
17	Installation, Commissioning and Maintenance	Minimum Specification	Qty.	Remark		
		Installation, Commissioning and Maintenance of all the above mentioned IT Infrastructure	Full lab			

Signature of ICT Coordinator

Signature of DLC Coordinator

U DISE CODE																			
-------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

	Non-removable sticker with details of Vendor's name, address, contact detail, service centre help line number and warranty expiry date on the following items	Pls. mark tick(✓) if present or cross(X) if not present	Remark
18	Server	✓	
	Desktop	✓	
	UPS	✓	
	Servo Stabilizer	✓	
	Multifunction printer	✓	
	Interactive White Board	✓	
	Projection System	✓	
	Silent Generator Set		



Signature of ICT Coordinator



Signature of DLC Coordinator



JYOTSHNA ELECTRICAL APPLIANCES

Partner : Er. Swadhin Kumar Ray

Government Registered Electrical Contractor & Supplier

DEALS IN : ERECTION OF 11 KV & 33 KV LINE WITH XLPE CABLE WORKS

E.C.L. No. : 1194 (H.T.) from E.L.B.O., BBSR E.P.F. Code No. OR/7982

Ref no: JEA/L/NO/421

To

Date: 26/08/2014

The Managing Director,
Odisha Knowledge Corporation Ltd.,
Bhubaneswar.

Subject: Verification report of ICT lab

Dear Sir,

We are a registered contractor Er. Swadhin Kumar Ray, an approved Electrical contractor of Government of Odisha, bearing Licence No. 1194(H.T.) (Copy of license is enclosed) for your kind perusal.

After verification of the following items of the ICT lab at **GOVT GIRLS HIGH SCHOOL, JHARSUGUDA** UDISE Code: **21020802001**, Block: JHARSUGUDA MPL, District: JHARSUGUDA as per the minimum specification mentioned below, the report for the same is being attached.

Sr. No.	Item name	Minimum Specifications	Quantity
1	Earthing (as per IS specifications)	Copper plate earthing stations making earthing with copper earth plate	1
		600 mm x 600 mm x 3 mm thick including funnel, charcoal/coke, salt, all earth work.	
2	Switches and sockets (ISI Mark)	5 A- 240 V switches	15
		2 in 1 5A and 15A Sockets	15
		15 A – 240 V socket with shutter	2
		Indicative Brands: - Anchor / Havells / crabtree /Wipro /Phillips / Legrand (Pls. tick) Switches and sockets is to be provided for all electronics/IT equipment including printer and Projection System to be placed at lab technician table.	

Er. Swadhin Kumar Ray
M/S Jyotshna Electrical Appliance
E.C.L. No-1194(H.T.)

3	Wiring (ISI Mark)	PVC conduits including MS/GI boxes. All wires should be covered, insulated and properly clamped. Wiring for 5 and 15A power outlets with 4 square mm PVC insulated stranded copper conductor wires Earthing of 3rd pin with PVC insulated green color 2.5 square mm copper wire	Full Lab
---	-------------------	--	----------

Verification Report

Sl.No	Item Name	Status
1	Earthing	Earthing point is properly installed as per your specification.
2	Switches and sockets	All Switch & Sockets are Anchor Brand; All Fans are Khaitan Brand, & installed Properly .
3	Wiring	Wiring complete as per your specification.

With regards

Er. Swadhin Kumar Ray
M/S Jyotshna Electrical Appliance
E.C.L No-1144(H.T.)

Er. Swadhin Ku. Ray(Partner)
Jyotshna Electrical
Appliances,Keonjhar

Encl.

1. Verification report for the given items
2. Electrical contractor's licence copy